How to survive an $^\dagger\text{MLC}$ violation

[†] minimal link condition

Lei Liu Leipzig University

Cyclop retreat 2024 Spring slides updated on May 30, 2024

The presentation in one sentence:

The presentation in one sentence:

• Languages exhibiting MLC violations can be modeled using the constraint ranking:

ANTILOCALITY » MINLINK

Outline



- 1. Introduction
- 2. MLC violations and how to survive them
 - Nez Perce
 - Luganda
 - Niuean
- 3. Conclusion

Introduction

- Other names of the Minimal Link Condition:
 - Attract closest
 - Shortest move
- Shortest
 - If a head H attracts an element of category X, move the element of category X that H c-commands and that is not c-commanded or dominated by another element of category X that is also c-commanded by H.

- Shortest
 - If a head H attracts an element of category X, move the element of category X that H c-commands and that is not c-commanded or dominated by another element of category X that is also c-commanded by H.
- MLC explains:

- Shortest
 - If a head H attracts an element of category X, move the element of category X that H c-commands and that is not c-commanded or dominated by another element of category X that is also c-commanded by H.
- MLC explains:
- (1) Superiority
 - a. I wonder who ate what
 - b. *I wonder what who ate

- Shortest
 - If a head H attracts an element of category X, move the element of category X that H c-commands and that is not c-commanded or dominated by another element of category X that is also c-commanded by H.
- MLC explains:
- (1) Superiority
 - a. I wonder who ate what
 - b. *I wonder what who ate
- (2) Asymmetry in passives
 - a. John was given the book
 - b. *The book was given John

MLC violations and how to survive them

(3) Raising to ergative Deal (2019)

Таатsas-nim pee-'leese-nuu-Ø-ye Harold-ne Таатsas-егд 3/3-таке.noise-аррг-р-гем.раst Harold-асс

'Taamsas made noise at Harold.'


(3) Raising to ergative Deal (2019)

Taamsas-nim pee-'leese-nuu-Ø-ye Harold-ne Taamsas-ERG 3/3-make.noise-APPL-P-REM.PAST Harold-ACC 'Taamsas made noise at Harold.'

(3) Raising to ergative Deal (2019)

Taamsas-nim pee-'leese-nuu-Ø-yeHarold-neTaamsas-ERG 3/3-make.noise-APPL-P-REM.PAST Harold-ACC

'Taamsas made noise at Harold.'



3/3 = 3rd person object & subject; p = perfect; rem.past = remote past

• Antilocality » MinLink

- Antilocality » MinLink
 - ANTILOCALITY: don't land too close

- Antilocality » MinLink
 - ANTILOCALITY: don't land too close
 - Generalized spec-to-spec Antilocality Deal (2019) and ref. therein Movement of a phrase from Spec,XP must cross a maximal projection other than XP.

Movement from position A to position B crosses C if and only if C dominates A but not B.

- Antilocality » MinLink
 - ANTILOCALITY: don't land too close
 - Generalized spec-to-spec Antilocality Deal (2019) and ref. therein Movement of a phrase from Spec,XP must cross a maximal projection other than XP.
 Movement from position A to position B crosses C if and only if

C dominates A but not B.

• МINLINK: don't attract too far

- Antilocality » MinLink
 - ANTILOCALITY: don't land too close
 - Generalized spec-to-spec Antilocality Deal (2019) and ref. therein Movement of a phrase from Spec,XP must cross a maximal projection other than XP.

Movement from position A to position B crosses C if and only if C dominates A but not B.

• MinLink: don't attract too far

[v[ACC[ERG]]]	ANTILOCALITY	MinLink
a. [ACC _i v[t _i [ERG]]]	*!	
B. $[\text{ERG}_{i}v[ACC[t_{i}]]]$		*


- (5) Symmetry in ditransitive passive Branan (2022)
 - a. Abaana, ba-a-w-ebw' t_i ekitabo 2.child 2-pst-give-pass 7.book 'The children were given the book.'
 - b. Ekitabo, ky-a-w-ebw' abaana t_i 7.book 7-pst-give-pass 2.child 'The book was give to the children.'


- (5) Symmetry in ditransitive passive Branan (2022)
 - a. Abaana, ba-a-w-ebw' t_i ekitabo 2.child 2-pst-give-pass 7.book 'The children were given the book.'
 - b. Ekitabo_i ky-a-w-ebw' abaana t_i
 7.book 7-pst-give-pass 2.child
 'The book was give to the children.'

Optionality


- (5) Symmetry in ditransitive passive Branan (2022)
 - a. Abaana, ba-a-w-ebw' t_i ekitabo 2.child 2-pst-give-pass 7.book 'The children were given the book.'
 - b. Ekitabo_i ky-a-w-ebw' abaana t_i 7.book 7-pst-give-pass 2.child 'The book was give to the children.'

Optionality?







• must fill TP spec: EPP subject




- must fill TP spec: EPP subject
- must fill v-pass spec: EPP v-pass



- must fill TP spec: EPP subject
- must fill v-pass spec: EPP v-pass
 - (Ø)Ext.Ag



- must fill TP spec: EPP subject
- must fill v-pass spec: EPP v-pass
 - (Ø)Ext.Ag
 - Appl argument



- must fill TP spec: EPP subject
- must fill v-pass spec: EPP v-pass
 - (Ø)Ext.Ag
 - Appl argument
- at least an AspP intervene: antilocality

• ANTILOCALITY » MINLINK

- ANTILOCALITY » MINLINK
- ØExt.Ag

- ANTILOCALITY » MINLINK
- ØExt.Ag

[v-pass ØExt.Ag [IO[DO]]]	ANTILOCALITY	MinLink
a. [DO _i [v-pass ØExt.Ag [IO[t _i]]]		*!
Be the two pass \emptyset Ext.Ag [t_i [DO]]]		

- ANTILOCALITY » MINLINK
- ØExt.Ag

[v-pass ØExt.Ag [IO[DO]]]		ANTILOCALITY		MinLink	
a. [DO _i [v-pass \emptyset Ext.Ag [IO[t _i]]]				*	!
Be b. $[IO_i [v-pass \emptyset Ext.Ag [t_i [DO]]]$					
[v-pass _ [IO[DO]]]	ANTILOCALITY		Min	Link	
a. $[IO_i [v-pass t_i [t_i [DO]]]]$		*!			
Be $[DO_i [v-pass IO_j [t_j [t_i]]]$					

- ANTILOCALITY » MINLINK
- ØExt.Ag

[v-pass ØExt.Ag [IO[DO]]]		ANTILOCALITY		MinLink	
a. $[DO_i [v-pass \emptyset Ext.Ag [IO[t_i]]]$				*	!
IF b. $[IO_i [v-pass \emptyset Ext.Ag [t_i [DO]]]]$					
[v-pass _ [IO[DO]]]	ANTILOCALITY		Min	Link	
a. [IO _i [v-pass t _i [t _i [DO]]]		*!			
Be b. $[DO_i [v-pass IO_j [t_j [t_i]]]$					

• ✓ Different interpretation

- ANTILOCALITY » MINLINK
- ØExt.Ag

[v-pass ØExt.Ag [IO[DO]]]		ANTILOCALITY		MinLink	
a. [DO _i [v-pass \emptyset Ext.Ag [IO[t _i]]]				*	!
Be b. $[IO_i [v-pass \emptyset Ext.Ag [t_i [DO]]]]$					
[v-pass _ [IO[DO]]]	ANTILOCALITY		MinLink		
a. [IO _i [v-pass t _i [t _i [DO]]]		*!			
Be b. $[DO_i [v-pass IO_j [t_j [t_i]]]$					

• V Different interpretation (supported with agent-oriented adverbs Branan 2022)

- ANTILOCALITY » MINLINK
- ØExt.Ag

[v-pass ØExt.Ag [IO[DO]]]		ANTILOCALITY		MinLink	
a. [DO _i [v-pass \emptyset Ext.Ag [IO[t _i]]]				*	!
Be b. $[IO_i [v-pass \emptyset Ext.Ag [t_i [DO]]]]$					
[v-pass _ [IO[DO]]]	ANTILOCALITY		MinLink		
a. [IO _i [v-pass t _i [t _i [DO]]]		*!			
Be b. $[DO_i [v-pass IO_j [t_j [t_i]]]$					

- ✓ Different interpretation (supported with agent-oriented adverbs Branan 2022)
- imes Optionality

MLC violations in Niuean

- (7) Equidistance for raising Longenbaugh and Polinsky (2018)
 - a. baseline

To maeke [ke lagomatai he ekekafo a Sione] FUT possible SBJ help ERG doctor ABS Sione 'It is possible the doctor can help Sione.'

- (7) Equidistance for raising Longenbaugh and Polinsky (2018)
 - a. baseline

To maeke [ke lagomatai he ekekafo a Sione] FUT possible SBJ help ERG doctor ABS Sione 'It is possible the doctor can help Sione.'

b. To maeke a Sione_i [ke lagomatai he ekekafo t_i] гит possible ABS Sione SBJ help ERG doctor 'The doctor can help Sione.'

- (7) Equidistance for raising Longenbaugh and Polinsky (2018)
 - a. baseline

To maeke [ke lagomatai he ekekafo a Sione] FUT possible SBJ help ERG doctor ABS Sione 'It is possible the doctor can help Sione.'

- b. To maeke a Sione_i [ke lagomatai he ekekafo t_i] гит possible ABS Sione SBJ help ERG doctor 'The doctor can help Sione.'
- с. То maeke e ekekafo_i [ke lagomatai *t_i* a Sione] FUT possible ABS Doctor sBJ help ABS Sione 'The doctor can help Sione.'

fut = future; sbj = subjunctive!!

• FAITH-ERG = MINLINK

- FAITH-ERG = MINLINK
 - FAITH-ERG: keep ergative case

- FAITH-ERG = MINLINK
 - FAITH-ERG: keep ergative case

[v-raising [v erg-agent abs-patient]]]	FAITH-ERG	MinLink
a. [v abs-patient _i [v erg-agent t_i]]]		*
b. [v abs-agent _i [v t _i abs-patient]]]	*	

ANTILOCALITY » MINLINK models languages exhibiting MLC violations

- ANTILOCALITY » MINLINK models languages exhibiting MLC violations
- Next:

- ANTILOCALITY » MINLINK models languages exhibiting MLC violations
- Next:
 - Deep dive into the constraints (EPP_{vpass}, FAITH-ERG,...)

- ANTILOCALITY » MINLINK models languages exhibiting MLC violations
- Next:
 - Deep dive into the constraints (EPP_{vpass}, FAITH-ERG,...)
 - MLC as Shortest Move Constraint (SMC) in MGs

- ANTILOCALITY » MINLINK models languages exhibiting MLC violations
- Next:
 - Deep dive into the constraints (EPP_{vpass}, FAITH-ERG,...)
 - MLC as Shortest Move Constraint (SMC) in MGs
 - SMC: the paring of movement licensor and licensee features is unique in any well-formed derivation (Stanojević and Stabler 2018)

- ANTILOCALITY » MINLINK models languages exhibiting MLC violations
- Next:
 - Deep dive into the constraints (EPP_{vpass}, FAITH-ERG,...)
 - MLC as Shortest Move Constraint (SMC) in MGs
 - SMC: the paring of movement licensor and licensee features is unique in any well-formed derivation (Stanojević and Stabler 2018)
 - => no violation is possible; all violations are possible

- ANTILOCALITY » MINLINK models languages exhibiting MLC violations
- Next:
 - Deep dive into the constraints (EPP_{vpass}, FAITH-ERG,...)
 - MLC as Shortest Move Constraint (SMC) in MGs
 - SMC: the paring of movement licensor and licensee features is unique in any well-formed derivation (Stanojević and Stabler 2018)
 - => no violation is possible; all violations are possible
 - ++ constraints and features are interchangeable in Minimalist syntax (Graf 2017)

Thank you!

References

Branan, K. (2022). Locality and antilocality: The logic of conflicting requirements. Linguistic Inquiry, 54(1):1-38.

Deal, A. R. (2019). Raising to ergative: Remarks on applicatives of unaccusatives. Linguistic Inquiry, 50(2):388-415.

Graf, T. (2017). A computational guide to the dichotomy of features and constraints. *Glossa: a journal of general linguistics*, 2(1).

Longenbaugh, N. and Polinsky, M. (2018). Equidistance returns. The Linguistic Review, 35(3):413-461.

Stanojević, M. and Stabler, E. (2018). A sound and complete left-corner parsing for minimalist grammars. In Proceedings of the Eight Workshop on Cognitive Aspects of Computational Language Learning and Processing, pages 65–74.